

Release-to-Release Binary Compatibility in SOM

Ira R. Forman
Michael H. Conner
Scott H. Danforth
Larry K. Raper
IBM Object Technology Products
11400 Burnet Road
Austin, Texas 78758

Abstract SOM (IBM's System Object Model) removes a major impediment to reuse in Object-Oriented Programming by facilitating the programming of release-to-release binary compatible class libraries. This is accomplished by supporting a large number of compatibility preserving transformations. Taken together these transformations compose a discipline for programming evolving class libraries.

Introduction

The cover of the May, 1994 issue of Byte Magazine declared: "Object-oriented computing has failed." However, Udel's story inside [20] is not nearly as inflammatory. It describes the situation as we know it: despite all of its promise, software reuse in object-oriented programming has yet to reach its full potential. A major impediment to reuse is the inability to evolve a compiled class library without abandoning the support for the already compiled applications. The underlying cause of this problem is that the typical object-oriented model has elements that are not part of the interface model of the linkage editor/loader. Therefore, an object-oriented model must be carefully designed so that class-library transformations that should not break already compiled applications, indeed, do not break such applications.

The System Object Model (SOM) is so designed. The next section gives an overview of SOM, after which we return to the problem of producing and supporting release-to-release binary compatible class libraries. This paper presents the SOM solution to this problem.

The SOM Model

In SOM [5,12,19], classes are objects whose classes are called metaclasses. A class is different from an ordinary object because a class has (in its instance data) an instance method table defining the methods to which instances of the class respond. During the initialization of a class object, a method is invoked on it that informs the class of its parents. This allows the class to build an initial instance method table. Once this is done, other methods are invoked on the class to override inherited methods or add new instance methods.

When diagramming class hierarchies, this paper uses the convention that metaclasses are drawn with three concentric circles, ordinary classes (i.e., classes that are not metaclasses) are drawn with two concentric circles, and ordinary objects (i.e., objects that are not classes) are drawn with a single circle. The initial state of an example SOM program is depicted in Figure 1. There are four objects SOMObject (a class), SOMClass (a metaclass), Dog (an ordinary class), and Rover (an ordinary object). There are two relations among objects that one must understand.




Figure 1. Example of various SOM objects.

First, there is the *instance of* relation between objects and classes depicted by the dashed arrow from an object to its class. When convenient the inverse relation, class of, is also used. **SOMObject** is an instance of **SOMClass** and **SOMClass** is the class of itself. An object's class is important because an object responds only to the methods that are supported by its class (that is, the methods that the class introduces or inherits).

Second, there is a relation between classes called the *subclass of* relation, which is depicted by the solid arrow from a class to each of its parents. **SOMClass** is a subclass of **SOMObject**. **SOMObject** has no parents.

SOMObject introduces the methods to which all SOM objects respond. As a subclass of **SOMObject**, **SOMClass** is an object but in addition introduces the methods to which all classes respond. For example, **SOMClass** introduces the `somNew` method, which creates instances of a class. Also,

the methods responsible for creating and modifying instance method tables are introduced. All metaclasses in SOM are ultimately derived from **SOMClass**. (Similar arrangements of classes are also used in CLOS[11,15], ObjVlisp[4], Dylan[1], and Proteus[17].) **SOMClass** and **SOMObject** are the two most important classes of the SOM kernel.

Interfaces to SOM objects are described using IDL, an object interface definition language defined by the Common Object Request Broker Architecture (CORBA [13]) standard of the Object Management Group (OMG). SOM IDL is a CORBA-compliant version of IDL used to allow SOM class descriptions to be supplied in addition to object interface definitions. (That is, the interface to a class is described by the IDL alone, SOM IDL allows additional information about the implementation to be added.) The SOMObjects Toolkit has tools called emitters that translate SOM IDL into language-specific bindings for the corresponding

classes of SOM objects (e.g., for C programmers this means that emitters produce header files for both the users of the class and the implementor of the class).

Below is the basic structure of an IDL definition for an object interface named Dog. At the same time, it is a SOM IDL description of a class Dog that supports this interface. The `#ifdef` and `#endif` (which, for simplicity, are omitted from subsequent examples) are part of the IDL language and are used to hide the SOM class implementation section from non-SOM IDL compilers.

```
interface Dog : SOMObject {
    <method and attribute declarations here>
    #ifdef __SOMIDL__
    implementation {
        metaclass = SOMClass;
        <instance variable declarations here>
    };
    #endif
};
```

In this example the interface Dog inherits from the SOMObject interface, and at the same time, the class Dog is declared to be a subclass of SOMObject. CORBA and SOM support multiple inheritance; additional parents of Dog can be listed alongside SOMObject in a comma-separated list. The actual methods and instance variables of Dog are not relevant to the current discussion. As illustrated here, the implementation section can explicitly indicate a metaclass to be associated with the class of objects that support the interface being defined. This association is not necessarily direct, however. For reasons that will become clear, the actual class of the class described by any given SOM IDL is, in general, a subclass of the indicated metaclass.

The Library Compatibility Problem

With SOM there is an important distinction between the term API (application programming interface) and ABI (applications binary interface). The API is the interface that a programmer uses, while the ABI refers to the specific conventions on which running programs depend. API compatibility ensures that applications can be recompiled successfully; ABI compatibility ensures that com-

plied applications continue to run successfully.

Let us consider the predicament of a software vendor that is selling a software library; the customers of the library vendor use the library to develop applications. The library vendor gives the customers a description of the API to the library (e.g., header files or OMG IDL) and the compiled library in the form of a dynamically linked library (DLL). The interface to the (compiled) DLL is called the ABI. The advantage of using a DLL (to both the library vendor and the application producer) is that multiple applications may run with one copy of the DLL present, which vastly reduces the memory requirements and improves response time. This paper is aimed at one facet of flexibility of software; an excellent overview may be found in [2].




Figure 2. A release-to-release binary compatible library revision supports compiled applications.

A problem arises when the library vendor wishes to evolve the library (Figure 2). The library vendor must maintain release-to-release binary compatibility, because it is impossible for the application producer to recompile the already distributed copies of the application.

The problem is couched in the terms of a library vendor, an application vendor, and dynamically linked libraries, because we wish to emphasize the relevance of our work to this area. In reality, the problem and our solution are much more general. The granularity goes down to the individual programmer who provides libraries for others or even herself. Whenever a library is changed one must consider the impact on the applications that are already using the library.

Pragmatically, a revision to a library is release-to-release binary compatible if all the applications that depend on the library still work. Because of a lack of precise specifications for both the library and the application, this is a subjective judgement. For example, one can repair a defect in the library only to find that application programmers consider it a feature.

Now this a bit abstract; let's take as an example how C++ fails to support release-to-release binary compatibility. Figure 3 depicts the situation where class X (from the class library) is subclassed in the application with class Y. With release 1.0 of the library, the application runs perfectly; in particular, `fmethod` can be invoked on `iY`, an instance of class Y. Now let us consider what happens when the library vendor makes the seemingly innocuous change of adding a new method (`hmethod`) to class X, which is invoked from `fmethod`. Now because the application was built with the old library definition, the method table for Y has a pointer to `gmethod` in its second entry. However, when the `fmethod` is invoked on `iY`, it tries to subsequently invoke `hmethod`, which in class X is the second entry in the method table. The result is that `gmethod` is called when `hmethod` was specified.

This situation is both familiar and frustrating to the users of C++. What makes this problem even more insidious is the fact that it appears that the problem is in class X, which is called the base class in C++. Because of this example and others like it, the myth of the "fragile base class problem" has arisen. The poor base class is blamed, diverting our atten-




Figure 3. An incompatibility produced by the typical C++ compiler.

tion from the real problem: the compiler/linker combination does not properly support subclassing across the binary interface.

Defining Release-to-Release Binary Compatibility

Creating an effective definition of release-to-release binary is not simple. Consider this direct attack on the problem. Let

$$A \circlearrowleft L$$

mean application A is combined to library L

and let

$$\text{SAT}(P, S)$$

mean program P satisfies specification S

Straw-man Definition. L_1 is a *RRBC-successor* to L_0 if

$$\text{SAT}(A \circlearrowleft L_0, S)$$

implies

$$\text{SAT}(A \circlearrowleft L_1, S)$$

for all reasonable functional specifications S for all applications A using library L.

The problems with this definition characterize the difficulties of supporting the evolution of binary class libraries. First, the operator \circlearrowleft symbolizes many different implementations (one for each compiler/linker/loader combination). Second, there is no satisfactory definition of "reasonable func-

tional specification.” Third, establishing the implication of lines 3 to 5 of the definition is tantamount to proving program equivalence, an unsolvable problem. Fourth, even if program equivalence were not unsolvable, defect removal implies some functions of the new library are not equivalent. Fifth, even if “reasonable functional specification” could be satisfactorily defined, real software products rarely have satisfactory formal specifications. Sixth, for a generally available class library product, one cannot know the set of applications using the library (this simply means that for generally available libraries, a successor must support all possible applications).

In light of the above difficulties, the only recourse is to develop an engineering discipline for software libraries. This discipline should be based on transformations that are guaranteed to be compatibility preserving. This means that a library revision is compatible if only these transformations are used to derive it from the old library. The engineering discipline, then, requires a careful justification for those revisions that are not attained by the transformations.

The goal of this engineering discipline for compiled libraries can be stated as:

Only application alteration
necessitates recompilation

This implies that if the evolution of the class library does not require changes to the application source, then the application should not require recompilation.

In terms of our straw-man definition, these trans-

formation produce compatible RRBC-successors. But because the straw-man definition is not formal, each transformation must be independently justified. In addition, enumerating the transformations of this discipline is not enough. Because compiled libraries must be accommodated, we must require that the technology for binding applications to libraries must support the transformations. Now as we shall see, for procedural programming, current linkage editors are adequate, but for object-oriented programming, SOM provides the most complete set of transformations.

Procedural Programming

For procedural programming (the style that preceded object-oriented programming), the constituents of an applications programming interface are procedures as depicted in Figure 4. Applications make procedure calls and linkage editors ensure that each procedure call is bound to the appropriate procedure implementation.

With this ABI, the problem of release-to-release binary compatibility reduces to the question of:

Is each procedure of the new library a more complete implementation of its predecessor?

This implies that there are five transformations available to our engineering discipline:

Transformation 0:

The procedure can be reimplemented to provide better performance for the same functional interface. (Note that we ignore any pathological real-time situation where a better performing implementation fails to meet its specification.)




Figure 4. Procedure libraries evolve safely by adding new procedures.

Transformation 1:

The domain of the procedure can be enlarged to return values for inputs for which it previously aborted, failed to return (infinite loop or deadlock).

Transformation 2:

On systems where the calling conventions indicate the number of parameters, the number of parameters of a procedure can be increased.

Transformation 3:

Addition of new procedures.

Transformation 4:

Retraction of private procedures.

Our engineering discipline says that as long as only these transformations are applied the new procedure library is an release-to-release binary compatible revision of the old library. Of course, there are good reasons for making changes that are outside these transformations; these must be carefully analyzed for their impact on applications using the old libraries.

Object-Oriented Programming

The richness of Object-Oriented Programming adds new facets to the ABI. Besides the ABI of procedural libraries, OOP applications subclass the classes of the library (see Figure 5). The new aspects of the problem give rise to a new engineering discipline needed to ensure release-to-release binary compatibility of a class library and thus, the continued functioning of the dependent applications.




Figure 5. Applications subclass from class libraries which evolve by adding new classes.

The additional transformations required to support our engineering discipline are:

Transformation 5:

Addition of new instance variables to objects

Transformation 6:

Addition of new methods to classes

Transformation 7:

Insertion of new classes into the hierarchy

Transformation 8:

Migration of a parent class downward in the class hierarchy

Transformation 9:

Migration of a method upward in the class hierarchy

Transformation 10:

Retraction of private methods

Transformation 11:

Retraction of private instance data

Transformation 12:

Reorder the methods of a class

Transformation 13:

Reorder the instance variables of an object

Note that Transformation 8 is included in the list for completeness. It is attainable as a combination of Transformation 6 and Transformation 7. In addition, it may seem counterintuitive that migration of a parent *downward* leaves the library compatible, but moving the parent *downward* just means that the new parents supports the functionality of the old parent.

The need for these additional transformations is directly caused by permitting subclassing across the ABI. SOM is designed to support these additional transformations.

When classes are first class objects

SOM allows and encourages the definition and explicit use of metaclasses. In this wider ABI, our engineering discipline requires an additional transformation.


Transformation 14:

The class of a class (i.e., its metaclass constraint) can be moved downward in the class hierarchy.

This transformation is similar to Transformation 8 in that when migrating the metaclass downward the new metaclass supports all the functionality of the old metaclass. However, there is a constraint on the appropriateness of a new metaclass.

Consider the simple single-inheritance example illustrated by Figure 6. In this figure, X is an instance of XMeta; we assume that XMeta supports a method `bar` and that X supports a method `foo` that uses the expression `bar(class(self))`. That is, the method `foo` invokes a method on the class of the object on which `foo` is operating. Now consider what happens when X is subclassed by Y, a class that has an explicit metaclass declared in its SOM IDL as in Figure 6. If the class hierarchy were to be formed as in Figure 6, then an invocation of `foo` on an instance of Y would fail because YMeta does not support `bar`. This situation is referred to as metaclass incompatibility.

SOM does not allow hierarchies with metaclass incompatibilities. Instead, SOM builds derived metaclasses that prevent this problem from occurring [6]. The actual SOM class hierarchy that results for Y is depicted in Figure 7, where SOM has automatically built the metaclass `DerivedMetaclass`; this ensures that the invocation of `foo` on instances of Y do not fail. This example shows that the metaclass statement in the SOM IDL is treated as a constraint on the actual metaclass. The derived metaclass can be viewed as the minimal metaclass supporting the constraints of metaclass compatibility.



```
interface X {
...
void foo();
implementation{
    metaclass = XMeta
};
};
where
foo()
{...
bar(class(self));
...};

interface Y:X {
...
implementation{
    metaclass = YMeta
...
};
};
```

Figure 6. Example of a metaclass incompatibility.




Figure 7. Example of a derived metaclass.

Several papers [3,10] have called this situation *the metaclass compatibility problem*, but none go beyond a characterization of the compatibility condition required on the metaclass statement. In SOM there is no such problem; in a situation where the explicitly declared metaclass is not compatible with the parents of the class, an appropriate metaclass is constructed -- this is the derived metaclass. Because class construction is a dynamic activity in SOM, this derivation is actually accomplished at runtime with no need for prior description in IDL.

Now all languages have to solve the metaclass incompatibility problem. For example, C++ solves the problem by not having metaclasses. Smalltalk solves the problem by not allowing metaclasses to be explicitly named. CLOS has a rule for checking compatibility at class construction time that eliminates the possibility of a metaclass incompatibly (but failure of the check causes a runtime failure). Only SOM handle metaclass incompatibility without restricting the programmer.

How Derived Metaclasses Support Binary Libraries

SOM relieves programmers of the responsibility for getting the metaclass right when defining a new class. At first glance, this might seem to be merely a useful (though very important) convenience. But, in fact, it is essential to the support of release-to-release binary compatible libraries in SOM. Although a programmer might, at one time, know the metaclasses of all classes above a new subclass, and, as a result, be able to explicitly derive an appropriate metaclass for the new class, SOM must guarantee that this new class still executes correctly when any of its ancestor class's implementations are changed (and this could include a choice of different metaclasses). Thus, a SOM programmer never needs to consider a newly defined class's ancestors' metaclasses. Instead, explicit metaclasses should only be used to add in desired behavior for a new class. Anything else that is needed is done automatically [19].

Figure 8 contains a specific example. The application and the two libraries in the upper part of the diagram work correctly together. If the Library A evolves by inserting a new metaclass (which should be acceptable as it is moving the metaclass

constraint downward), the metaclass incompatibility depicted in Figure 6 is attained.

Figure 9 shows how the lower half of Figure 8 looks when built dynamically by the SOM kernel. This example makes one further point. The metaclass incompatibility can arise across libraries. There is no way for a metaclass programmer to know about how metaclasses are used in applications. Without the notion of the derived metaclass, there is no way for the application programmer to avoid the situation. Yet it is very valuable to compose metaclasses as is shown in [8].

A comparison of support in several object models

Now when choosing a programming system in which to produce compiled libraries one needs to consider which transformations are supported. Table 1 gives such a comparison for several object models¹. The Smalltalk and C++ columns are generic, but the Delta/C++ refers to the C++ compiler from Silicon Graphics [16,18] and OBI refers to the research work of Sun Microsystems [9].

In Table 1, ✓ means the transformation is supported and ✗ means it is not. In the cases where the transformation has no meaning to that technology, Table 1 has an "n/a" entry.

Note that none of these technologies (including SOM) support Transformation 2. This is not an impediment to evolving a class library, because one can define a new method (with a new name) having the expanded signature while retaining the old method. Now, the compiled applications run as expected while new applications use the new method.

1. We exclude Microsoft's COM [14] because it is an interface model, not an object model and it's ABI forbids subclassing between library and application. If our analysis technique is applied to COM, one sees that it supports only Transformations 0 to 4, which places it in the category of procedural programming rather than object-oriented programming.




Figure 8. Example of a meta-class incompatibility arising in library use.




Figure 9. SOM prevents the Metaclass Incompatibility.




Table 1: Comparison of Support for Compiled Class Libraries

Transformation	Smalltalk	Generic C++	SOM	Delta/C++	OBI	Objective-C
0: improve performance	✓	✓	✓	✓	✓	✓
1: eliminate failures	✓	✓	✓	✓	✓	✓
2: add parameter	✗	✗ ^a	✗ ^b	✗	✗	✗
3: add procedure	n/a	✓	✓	✓	✓	✓
4: retract private procedure	n/a	✓	✓	✓	✓	✓
5: add instance variable	✗ ^c	✗	✓	✓	✓	✗
6: add new method	✓	✗	✓	✓	✓	✓
7: insert new class	✓	✗	✓	✓	✓	✗
8: migrate parent downward	✓	✗	✓	✓	✗ ^d	✗
9: migrate method upward	✓	✗	✓	✓	✓	✓
10: retract private method	n/a	✗	✓	✓ ^e	✓	n/a
11: retract private data	n/a	✗	✓	✓	✓	n/a
12: reorder methods	n/a	✗	✓	✓	✗ ^d	✓
13: reorder instance variables	✗	✗	✓	✓	✗ ^d	✗ ^f
14: migrate metaclass constraint downward	✗	n/a	✓	n/a	n/a	✗

a. Because of overloading in C++, this box gets a formal ✗, because adding new parameters is defining a new method. One might think this is not a problem, because overloading allows multiple procedures with the same name. However, this causes an answer for procedures that is different than that for methods.

b. However, SOM does support procedures and methods that are defined to have a variable number of parameters.

c. With compiled Smalltalk, addition of instance variables requires recompilation of applications.

d. One should bear in mind that OBI is a research project that had the additional goal of supporting multiple versions of a class.

e. Because this is a C++ approach, one must ensure that private members that have not been exposed by friend specifications.

f. Objective-C supports direct access interface to instance data making this box ✗. Brad Cox informs us that wise Objective-C programmers avoid use of this facility (and by doing so, turn this box to a ✓.)

Our presentation has been informal; e.g., we have not defined the criteria for a complete set of transformations that are compatibility preserving (for that matter, neither has compatibility preserving been formally defined). Usually lack of completeness of a transformation set implies lack of sufficiency. For the problem of evolution of class libraries, this is not the case. Clearly, SOM is not complete, because Transformation 2 is not supported. But as we argue above, this is not a serious impediment to evolving a class library.

Experience

The SOM technology described here is more than a theory; it has been heavily used both within IBM and throughout the OS/2 development community for over three years. Numerous OS/2 applications and system facilities such as IBM's LAN Server, MPM/2, Ultimap, IBM Works, and even the OS/2 Workplace Shell (the desktop user interface for OS/2) are built on the SOM technology. Even moderately-sized applications such as these contain dozens, and in some cases hundreds of SOM classes. These applications were developed independently and have evolved, even while SOM itself has been evolving.

Figure 10 shows the progression of the SOM technology and the OS/2 operating system. The debut of SOM 1.0 occurred in April 1992; it was an essential part of the first 32-bit OS/2 2.0 release. Although the 1.0 level of SOM provided only a basic single-inheritance programming capability most of the RRBC features described in this paper were already present. In fact, it was the very pres-

ence of the RRBC features in the early SOM that permitted the technology to evolve.

The 2.0 level of SOM made a significant leap in terms of new features and new capabilities. This was the first attempt of any commercial product to embrace the fledgling CORBA 1.1 standard. For SOM this meant a new definition language for SOM interfaces, extensions to the base object model itself (such as multiple inheritance), and changes in the infrastructure to support distribution via an Object Request Broker (ORB), known as DSOM. Because the product cycles of the OS/2 and SOM development teams were entirely independent, SOM 2.0 appeared in a separately licensed product called the SOMObjects Developer Toolkit. In addition to offering the basic SOM programming tools the toolkit also included a broad set of application frameworks and sample programs. When installed on any OS/2 2.0 or 2.1 system, the SOM toolkit completely superseded the earlier level of SOM still found there. So, although none of the OS/2 SOM applications yet took advantage of the new features of SOM 2.0, all of the frameworks derived from SOM continued to work without recompilation, while newly developed frameworks exploiting SOM 2.0 ran in the same environment.

In October of 1994, SOMObjects Toolkit release 2.1 became generally available; this release of SOM corrected some reported defects (the SOM developers are no more perfect or omniscient than anyone else) and added many performance enhancements. This time, the OS/2 Warp product cycle and the SOM product cycle coincided more favorably and the 2.1 level of SOM was included




Figure 10. Evolution of SOMObjects Toolkit and the OS/2 Workplace Shell.

as an integral element of Warp. The most significant thing to note is that the OS/2 Warp Workplace Shell started its development (in Boca Raton, Florida) using the SOM 2.0 kernel, while the SOM team in Austin, Texas, completed the 2.1 effort. Only late in the Warp development (July, 1994) did the Workplace Shell development team receive the new SOM 2.1 kernel. Because of SOM's RRBC they were able to test without recompiling; allowing the SOM development team the independence of action necessary to fulfill its product requirements without impacting the schedule of the Workplace Shell development team.

This experience is only one of many similar experiences that might be cited as empirical proof of the efficacy of the SOM packaging technology. But the more fundamental point is that because of the RRBC emphasis in SOM such evolutionary development of independently shippable binary class libraries should be viewed as the norm.

Many other groups are now recognizing the necessity of RRBC in the OO marketplace. Because this capability is the *sine qua non* of independently developed component objects, SOM has been selected by Component Integrations Labs as the underlying mechanism for the OpenDoc framework. Other organizations believe it too. The Tool Integration Standards Committee (a group of vendors that create tools for Intel platforms, that includes IBM, Borland, Novel, Microsoft, Metaware, and others as members) in October, 1994 agreed to adopt the SOM kernel and its ABI, as a standard solution for binary object interoperability and release-to-release binary compatibility.

An Unsolved Problem

When we began this work, we understood that the set of transformations implies a definition of "reasonable functional specification." However, we have not yet discovered that definition from which the transformations would then be proved as compatibility preserving. We would appreciate hearing from anyone who solves (or has solved) this problem.

Conclusion

SOM facilitates the evolution of class libraries by supporting transformations that are compatibility preserving. These transformations form the foundation of an engineering discipline for class libraries. Although the transformation set is necessary for the discipline, we must still show that the set is sufficient for a library evolution. We have created numerous release-to-release binary compatible libraries cumulatively exercising all of the transformations. There is one library of special note. The SOM 2.0 DLL is release-to-release binary compatible with the SOM 1.0 DLL that is shipped with OS/2. That is, we practice what we preach -- we have produced a nontrivial revision of a very complex library that is release-to-release binary compatible with its predecessor.

Acknowledgments

We would like to thank Liane Acker, Arindam Banerji, Ravi Condamoor, Nissim Francez, Kevin Greene, Duane Hughes, Shmuel Katz, Vinoj Kumar, Cun Xiao, and the OOPSLA reviewers for their comments. In addition, we thank Brad Cox, Ted Goldstein, and Andy Palay for their cooperation.

References

1. Apple Computer *Dylan: An object-oriented dynamic language* (1992).
2. Banerji, A., Kulkarni, D. and Cohn, D. "A Framework for Building Extensible C++ Class Libraries" *USENIX C++ Technical Conference* (1994).
3. Briot, J.-P. and Cointe, P. "Programming with Explicit Metaclasses in Smalltalk-80" *OOPSLA '89 Conference Proceedings* (October 1-6, 1989) 419-431.
4. Cointe, P. "Metaclasses are First Class: the ObjVlisp Model" *OOPSLA '87 Conference Proceedings* (October 4-8, 1987) 156-165.
5. Danforth, S., Koenen, P. and Tate, B. *Objects for OS/2* Van Nostrand Reinhold (1994).

6. Danforth, S. and Forman, I.R. "Derived Metaclasses in SOM" *Proceedings of the 1994 Conference on Technology of Object-Oriented Languages and Systems* Versailles, France (April 1994)
7. Danforth, S.H. and I.R. Forman "Reflections on Metaclass Programming in SOM" *Proceedings of OOPSLA '94*, Portland, Oregon (October 23-26, 1994).
8. Forman, I.R., S.H. Danforth, and H.H. Madduri "Composition of Before/After Metaclasses in SOM" *Proceedings of OOPSLA '94*, Portland, Oregon (October 23-26, 1994).
9. Goldstein, T. C. and Sloane, A.D. "The Object Binary Interface -- C++ Objects for Evolvable Shared Class Libraries" *USENIX C++ Technical Conference* 1994.
10. Graube, N. "Metaclass Compatibility" *OOPSLA '89 Conference Proceedings* (October 1-6, 1989) 305-316.
11. Kiczales, G., des Rivieres, J., and Bobrow, D. G. *The Art of the Metaobject Protocol* The MIT Press, Cambridge, Massachusetts (1991).
12. Lau, C. *Object-Oriented Programming for SOM and DSOM* Van Nostrand Reinhold (1994).
13. Object Management Group *The Common Object Request Broker: Architecture and Specification* OMG Document Number 91.12.1 Revision 1.1.
14. *OLE 2 Programmer's Reference Volume One* Microsoft Press (1994).
15. Paepcke, A. (ed.) *Object-Oriented Programming: The CLOS Perspective* The MIT Press, Cambridge, Massachusetts (1993).
16. Palay, A.J. "C++ in a Changing Environment" *USENIX C++ Technical Conference* 1992.
17. Russinoff, D.M. "Proteus: A Frame-Based Nonmonotonic Inference System" *Object-Oriented Concepts, Databases, and Applications* Kim, W. and Lochovsky, F.H. (ed.) ACM Press, New York (1989) 127-150.
18. Silicon Graphics *CASEVision Promotional Brochure* (August 1993).
19. *SOMobjects Developers Toolkit -- User's Guide and Reference Manual* IBM Corp., Armonk, N.Y. (1993).
20. Udel, J. *Componentware Byte* (May 1994) 46-56.