

EDIT VERBS (REVISION #4)

REVISIONS MARKED BY *

- ED b ---
Edit block b. The block is listed.
- R R s1\s2\
Search for string s1 beginning at the current line and character.
Replace it with string s2. String s2 may be null. If the
string is not found current is set to the beginning of the block.
- L l ---
Move the current line up or down l lines and enter
control character mode.
- LED Edit the block last listed by the LIST command.
- M l ---
Move the current line up or down l lines.
- N Edit the next block in sequence.
- NL Edit the next block in sequence, set the current
line to the first line, and enter control character mode.
- P Edit the previous block in sequence.
- V List out the screen being edited. Current line is numbered zero.
- ?]] [[R s1\s2\ ?]]
Repeat this R command until a NOT FOUND condition.

- *2 B Set current to the beginning of the block and list it.
- IS Insert saved text between the current line and the one before it.
- S $S \quad ssss \setminus$
Search for string $ssss$ beginning at the current line and character. If the string is not found current is set to the beginning of the block.
- SV Save $n+1$ lines of text starting with the current line.
- *3 SB $m \quad n \quad SB \quad ssss \setminus$
Search for string $ssss$ beginning with block n and ending at block m .
- 3 K $n \quad \text{---}$
Deletes $n+1$ lines starting with the current line.
- *4 U Same as $\uparrow U$.
- *4 D Same as $\uparrow D$.

EDIT CONTROL CHARACTERS

Line control:

- *2 ↑D (Down line) Make next line current. First character on line will be next copy character.
- *2 ↑U (Up line) Make previous line current. First character on line will be next copy character.
- ↑T (Type line) Type out the current line and reset next copy character to be first character on line.

Copy commands:

- ↑C (copy Character) Insert the next copy character into the edit buffer.
- ↑W (copy Word) Insert the next word starting at the next copy character into the edit buffer.
- ↑A (copy All) Insert the rest of the characters starting at the next copy character into the edit buffer.

Edit commands:

- ← Delete previous character in edit buffer.
- *2 ↑Z or DEL (Zap word) Delete previous word in edit buffer.
- ↑L (get Letter) Advance the current edit character by one character.
- ↑E (get Edit word) Advance the current edit character by one word.
- ↑R (get Rest) Advance the current edit character back to the beginning of the edit buffer.

↑X Kill the edit buffer.

Update commands:

CR Insert the edit buffer between the current line and the next line. The inserted line becomes current.

LF Overlay the current line with the edit buffer. Next line becomes current.

ESC Overlay the current line with the edit buffer. List the screen and return to TERSE mode.

↑B (Insert Before) Insert the edit buffer before the current line. Inserted line becomes current.

* ↑Y (Yank line) Delete the current line and put it into the edit buffer.

Miscellaneous commands:

↑V (Verify screen) List out the current screen.

↑F (Flush) Perform a FLUSH.

↑Q (Quit) Return to TERSE mode.

*2 ↑N (Next block) Edit next block in sequence.

*2 ↑P (Previous block) Edit previous block in sequence.

*2 ↑O (Overlay) Type out numbered overlay of character positions.

* ↑I Tab to next MOD 8 position in edit buffer.

*3 ↑G Toggle the ability of copy word and get edit word to get the trailing space.