

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

PROJECT MAC

Artificial Intelligence Project
Program Memo. No. 106.

Memorandum MAC-M-324

September 1966

An Input Macro for TECO

D. Eastlake

A macro has been written for TECO that enables one to insert characters into the buffer as they are typed with the entire current page (if not greater than the display screen's height in length) always being displayed. This macro now exists on the MACDMP system tape as a file entitled "CTLP INP".

If this one page file is read and X'ed into a Q register, the M'ing of that Q register will put TECO into the following mode:

1. The buffer pointer and buffer are initially left as they were when the Q register was M'ed;
2. Until this mode is escaped from, the display will always be the result of an HV;
3. Typing any character other than ALT. MOD. or RUB OUT will cause that character to be inserted at the pointer with the pointer left to its right;
4. Typing RUB OUT deletes the character to the left of the pointer and types that character out (note, however, if the pointer is at the beginning of the buffer or if RUB OUT's are typed too rapidly, one may escape from this mode);

5. An ALT. MOD. followed by other than another ALT. MOD. or a RUB OUT causes both the ALT. MOD. and the following character to be inserted at the pointer with the pointer left to their right;
6. An ALT. MOD. followed by a RUB OUT inserts just the character RUB OUT at the pointer leaving the pointer to its right;
7. An ALT. MOD. followed by an ALT. MOD. does not change the buffer but escapes to TECO's top level;
8. This mode may be reentered by M'ing the same Q register if the user has not altered its contents;
9. No Q registers other than the one containing the macro will be affected.

CS-TR Scanning Project
Document Control Form

Date : 12/14/95

Report # AIM-106

Each of the following should be identified by a checkmark:
Originating Department:

- Artificial Intelligence Laboratory (AI)
 Laboratory for Computer Science (LCS)

Document Type:

- Technical Report (TR) Technical Memo (TM)
 Other: _____

Document Information

Number of pages: 2 (6-images)

Not to include DOD forms, printer instructions, etc... original pages only.

Originals are:

- Single-sided or
 Double-sided

Intended to be printed as :

- Single-sided or
 Double-sided

Print type:

- Typewriter Offset Press Laser Print
 InkJet Printer Unknown Other: COPY OF TYPEWRITER

Check each if included with document:

- DOD Form Funding Agent Form Cover Page
 Spine Printers Notes Photo negatives
 Other: _____

Page Data:

Blank Pages (by page number): _____

Photographs/Tonal Material (by page number): _____

Other (note description/page number):

Description :	Page Number:
<u>IMAGE MAP! (1-2) UN#ED TITLE PAGE, 2</u>	
<u>(3-6) SCANCONTROL, TRGT'S (3)</u>	

Scanning Agent Signoff:

Date Received: 12/14/95 Date Scanned: 1/23/96

Date Returned: 1/25/96

Scanning Agent Signature: Michael W. Cook

Scanning Agent Identification Target

Scanning of this document was supported in part by the **Corporation for National Research Initiatives**, using funds from the **Advanced Research Projects Agency** of the **United States Government** under Grant: **MDA972-92-J1029**.

The scanning agent for this project was the **Document Services** department of the **M.I.T. Libraries**. Technical support for this project was also provided by the **M.I.T. Laboratory for Computer Sciences**.

