

SANworks™ by Compaq

Release Notes - Novell NetWare Single Path Kit V2.0 for Enterprise Virtual Array

Part Number: AV-RTHUA-TE

First Edition (October 2002)

Product Version: 2.0

This document contains the most recent product information about the *SANworks™ by Compaq* Novell NetWare Single Path Kit V2.0 used for integrating host servers with the *StorageWorks™ by Compaq™* Enterprise Virtual Array (VCS Version 2.0).

For the latest version of these Release Notes and other Enterprise Virtual Array documentation, visit the Compaq website at:

: <http://www.compaq.com/storage/index.html>

COMPAQ

© 2002 Compaq Information Technologies Group, L.P.

Compaq, the Compaq logo, SANworks, StorageWorks, Tru64, and OpenVMS are trademarks of Compaq Information Technologies Group, L.P.

UNIX is a trademark of The Open Group.

Microsoft, Windows, and Windows NT are trademarks of Microsoft Corporation.

All other product names mentioned herein may be trademarks of their respective companies.

Confidential computer software. Valid license from Compaq required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Compaq shall not be liable for technical or editorial errors or omissions contained herein. The information in this document is provided "as is" without warranty of any kind and is subject to change without notice. The warranties for Compaq products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty.

Compaq service tool software, including associated documentation, is the property of and contains confidential technology of Compaq Computer Corporation. Service customer is hereby licensed to use the software only for activities directly relating to the delivery of, and only during the term of, the applicable services delivered by Compaq or its authorized service provider. Customer may not modify or reverse engineer, remove, or transfer the software or make the software or any resultant diagnosis or system management data available to other parties without Compaq's or its authorized service provider's consent. Upon termination of the services, customer will, at Compaq's or its service provider's option, destroy or return the software and associated documentation in its possession.

Printed in the U.S.A.

Release Notes - Novell NetWare Single Path Kit V2.0 for Enterprise Virtual Array
First Edition (October 2002)
Part Number: AV-RTHUA-TE

Release Notes Contents

These release notes cover the following major topics:

- Release Notes Contents, page 3
- Intended Audience, page 3
- Conventions, page 4
- Enterprise Virtual Array Storage System, page 5
 - Enterprise Virtual Array System Software, page 5
 - Enterprise Virtual Array Documentation, page 5
 - Kit Description, page 5
 - Support Release Information, page 6
 - Supported Configurations, page 6
- Supported Operating Systems, page 7
 - Single Path Support Configurations, page 7
- Supported Servers, page 8
- Operating Constraints, page 8
- Avoiding Problem Situations, page 8
- Enterprise Storage System Notes, page 8
- Licensing Support Information, page 9
- Storage System Scripting Utility for Enterprise Virtual Array, page 9

Intended Audience

This document is intended to assist customers who purchased the StorageWorks by Compaq Enterprise Virtual Array and the associated SANworks by Compaq Operating System kits. Other associated software packages are:

- SANworks by Compaq Virtual Controller Software Package V2.0 for Dual HSV Controllers by Compaq
- SANworks by Compaq Snapshot for Virtual Controller Software V2.0 for Dual HSV Controllers by Compaq

This document is also intended for use by Compaq Customer Service personnel responsible for installing and maintaining designated devices associated with this storage system.

Conventions

The following conventions are used throughout this document:

- Unless otherwise specified, all references to VCS V2.0 refer to the software package (kit) and documentation version level. These software packages and documentation support VCS V2.0.
- Unless otherwise specified, all documentation that supports VCS V1.0, VCS V1.01, and VCS V1.02, also supports VCS 2.0.
- The *SANworks System Software for Enterprise Virtual Array by Compaq* is the storage system software that contains Virtual Controller Software (VCS), Environmental Monitoring Unit (EMU) firmware, programmable component images, diagnostics, and message files. This storage system software is usually represented by a four-digit number, for example V2.000. The VCS version number is the first three digits of the storage system software version, for example, V2.00
- Unless otherwise specified, all references to a controller or controller pair should be interpreted as the HSV110 Controller or HSV110 Controller pair.
- Unless otherwise specified, all references to the Enterprise Storage System or storage system should be interpreted as the Enterprise Virtual Array.
- Unless otherwise specified, all references to rack should be interpreted as the 9000-Series Enterprise Storage System Rack.
- Unless otherwise specified, all licensing references to host ID should be interpreted as the storage system World Wide Name (WWN).
- Unless otherwise specified, all references to the management appliance should be interpreted as the Compaq SANworks Management Appliance.
- Unless otherwise specified, all references to a single instance of a management agent, or the element manager, should be interpreted as the Compaq SANworks HSV Element Manager.
- The term Fabric means Fibre Channel Switched (FC-SW) connectivity.

Enterprise Virtual Array Storage System

This document contains the most recent product information about the Enterprise Virtual Array. An Enterprise Virtual Array storage system consists of the following:

- One pair of HSV110 Controllers.
- An array of physical disk drives that the controller pair controls. The disk drives are located in drive enclosures that house the support systems for the disk drives.
- Associated physical, electrical, and environmental systems.
- The HSV Element Manager, which is the graphical interface to the storage system. The element manager software resides on the Management Appliance and is accessed through a browser.
- Management Appliance, switches, and cabling.
- At least one host attached through the fabric.

Enterprise Virtual Array System Software

SANworks Virtual Controller Software (VCS) V2.0 by Compaq provides storage software capability for the HSV110 Array Controller and is provided in the VCS V2.0 software kit.

Enterprise Virtual Array Documentation

The Enterprise Virtual Array Catalog of Associated Documentation is included on the Technical Documentation page. You can display a comprehensive list of Enterprise Virtual Array documentation, as well as associated product documentation that may be required to operate your storage system. To access the Technical Documentation page, go to:

<http://www.compaq.com/products/storageworks/enterprise/documentation.html>

Kit Description

The purpose of this section is to describe the SANworks by Compaq Novell NetWare Single Path Kit V2.0 for Enterprise Virtual Array contents.

The SANworks by Compaq Novell NetWare Single Path Kit V2.0 for Enterprise Virtual Array contains the following items:

- Release Notes for Novell NetWare Single Path Kit V2.0 for Enterprise Virtual Array

- SANworks™ by Compaq Novell NetWare Single Path Kit V2.0 for Enterprise Virtual Array Installation and Configuration Guide
- StorageWorks Worldwide Warranty
- StorageWorks Telephone Book
- Licensing Materials
- CD-ROM—includes Storage System Scripting Utility (SSSU), and documentation

Support Release Information

For future product support release information visit <http://www.compaq.com/support/files/storage/index.html>. This website provides downloadable files for storage products.

Supported Configurations

Refer to the Enterprise Virtual Array Quick Specs for supported configurations.

The CD-ROM that ships with this kit includes two versions of Adobe Acrobat reader—one that runs directly from the CD and one that can be installed on your server. If you access the documents on the CD through the CD browser interface, the default setup runs the reader from the CD. Alternatively, you can run *rp500enu.exe* from the \Demo\Acrobat directory to install the reader on your server.

Issues with Acrobat Reader

The following list describes issues that have been encountered with Acrobat reader on Windows when attempting to access documents from the CD browser interface:

- Reading PDF files from within the CD browser interface (using the reader running directly from the CD) and clicking hyperlinks can produce application hangs. To work around this, try opening the documents directly from the \Docs directory on the CD.
- If Acrobat 4 is running and you attempt to access the PDF files through the CD browser interface, Acrobat 5 starts from the CD and causes errors. To avoid such errors, close Acrobat 4 and open the document again using the installed version of Acrobat reader.

Supported Operating Systems

The Enterprise Virtual Array storage system is compatible with the following operating systems:

- Tru64 UNIX
- Windows NT
- Windows 2000
- OpenVMS
- Sun Solaris
- HP-UX
- IBM AIX
- Linux (Single Path)
- Novell NetWare (Single Path)

Table 1–1 lists the operating system’s specifications, which are compatible with the Enterprise Virtual Array.

NOTE: Table 1-1 contains current minimum level operating system specifications at the time of Enterprise Virtual Array V2.0 release. Some component versions may change due to revision. For the latest version information, go to:

<http://thenew.hp.com/country/us/eng/prodserv/storage.html>

Table 1–1: Operating System Specifications

Operating System	OS Version	Clustering	FCA (HBA)	Adapter Firmware	Adapter Driver	Secure Path
Novell Netware	5.x	N/A	QLogic QLA2340	1.29	6.50S	N/A
	6.x	N/A	QLogic QLA2340	1.29	6.50S	N/A

Single Path Support Configurations

A Novell NetWare server with a single FCA supports single path mode. Ensure that a preferred path is selected for single path configurations used with Enterprise Virtual Array.

IMPORTANT: Single path mode should not be used in mission critical environments. See the white paper for further details.

See Connecting Single HBA Servers to the Enterprise Virtual Array without Secure Path white paper for more information at:
<http://www.compaq.com/storage/arraywhitepapers.html>

Supported Servers

All Novell NetWare certified servers are supported.

Operating Constraints

Any operating constraints specific to the Enterprise Virtual Array hardware and HSV Element Manager can be found in their respective release notes.

Avoiding Problem Situations

Avoiding problem situations specific to the Compaq SANworks Management Appliance can be found in the Management Appliance Update January 2002 Release Notes.

Avoiding problem situations specific to the Compaq SANworks HSV Element Manager can be found in the HSV Element Manager Release Notes.

In addition, avoiding problem situations pertaining Enterprise Virtual Array hardware can be found in the hardware release notes.

Enterprise Storage System Notes

Cable Requirements

When an Enterprise Virtual Array is installed, an SC-to-LC (1-Gb to 2-Gb) cable is required for host connectivity. Table 1-3 provides a listing of available cables.

Table 1-3: LC-SC cables

Length	Description	Compaq Part Number
2.0 m ± 40 mm	CA ASSY, LC-SC, Optical 2M	187891-002
5.0 m ± 80 mm	CA ASSY, LC-SC, Optical 5M	187891-005
15.0 m ± 150 mm	CA ASSY, LC-SC, Optical 15M	187891-015

Table 1–3: LC-SC cables

Length	Description	Compaq Part Number
30.0 m ± 300 mm	CA-ASSY, LC-SC, Optical 30M	187891-030
50.0 m ± 500 mm	CA-ASSY, LC-SC, Optical 50M	187891-050

Table 1–4: LC-LC cables

Length	Description	Compaq Part Number
2.0 m ± 40 mm	2-meter LC-LC Multi-Mode Fibre Cable	221692-B21
5.0 m ± 80 mm	5-meter LC-LC Multi-Mode Fibre Cable	221692-B22
15.0 m ± 150 mm	15-meter LC-LC Multi-Mode Fibre Cable	221692-B23
30.0 m ± 300 mm	30-meter LC-LC Multi-Mode Fibre Cable	221692-B26
50.0 m ± 500 mm	50-meter LC-LC Multi-Mode Fibre Cable	221692-B27

Licensing Support Information

If you have trouble obtaining a License Key or need other licensing support information, refer to the *StorageWorks by Compaq Enterprise Virtual Array License Instructions* which are shipped with the VCS V2.0 software kit.

For assistance with incorrect Authorization ID, contact your authorized Compaq Authorized Service Provider.

For assistance with lost Authorization ID and Authorization ID not shipped, contact your Compaq order channel.

Storage System Scripting Utility for Enterprise Virtual Array

Refer to the HSV Element Manager release notes prior to using the Storage System Scripting Utility (SSSU), as SSSU communicates directly with the element manager.

